



NEW MILLENNIUM PROGRAM

Innovative Approaches for Advanced Space Technology Demonstrations

Fuk Li

September 28, 1999



Ambitious Plans



Office of Earth Science



EOS Post 2002




LandSat Follow-on



NPOES



AdvancedGeostationary



ESSP


Office of Space Sciences

- Mars Exploration
- Outer Planets
- Discovery
- Solar Terrestrial Probes
- UNEX/SMEX/MIDEX
- Gravity Probe B/LISA
- Next Generation
 Space Telescope
- Space interferometry Mission/Terrestrial Planet Finder










NMP Advanced Technologies: Essential to Achieve OES and OSS Objectives

Science Missions



Impediments to Rapid **Technology Infusion:**


- Lack of flight heritage
 - real or perceived risks
 - cost
 - schedule
 - performance
- Little visibility to mission planners
 - capabilities poorly understood
 - A complete paradigm shift is needed to fully exploit some technologies



The New Millennium Program



A cross-Enterprise program to identify and flight validate breakthrough technologies that will significantly benefit future Space Science and Earth Science missions




- Breakthrough technologies
 - Enable new capabilities to meet
 Earth and Space Science needs
 - Reduce costs of future missions
- Flight validation
 - mitigates risks to first users
 - enables rapid technology infusion into future missions






The New Millennium Program Fills a Critical Role in Space Science Technology Development







NMP

Space Science Strategic Plans Drive the **Technology Validation Needs**



Strategic Plans /Technology Roadmaps




Solar System Exploration (SSE)



Structure & Evolution of the Universe (SEU)



Astronomical Search for Origins (ASO)



Sun Earth Connection (SEC)

Future Missions Technology Needs




Technology Development Availability


TECHNOLOGY PIPELINE



Cross-Enterprise Technology Thrust Areas















Validation Flight Launch Schedule



DS1	Year	98	99	00	01	02	03	04
EO1 V 12/99 Future Flights ST3		V	0/98					
Future Flights ST3	DS2		7 01/99					
ST3			V V		UHINI EKSOH I KASALAS			
	Future Flights		300				T	
ST5	ST3							
	ST5					7		
EO3	EO3						₩	▼

NMP AIAA 9 99




Deep Space 1 Rapid Access to Small Bodies




- Designed to validate ion propulsion and 11 other advanced technologies
- Successfully launched, October 24, 1998
- Technology Validation Status
 - all technologies fully validated
- Encountered Asteroid 1992KD on July 29, 1999
 - Significant science and technology return
- Extended mission will allow encounters with 2 comets in 2001:
 - Comet Wilson-Harrington
 - Comet Borelli

Deep Space 1


System Level Validation of 12 Breakthrough Technologies



Small Deep **Space Transponder**




Low Power Electronics



Experiment for Miniature Integrated




Plasm a **Planetary** Exploration




Concentrato

NMP

Remote Agent Architecture









Ka-Band **Solid State** Power Amplifier

Multifunctional Structure



Camera **Spectrometer**


Power Activation & **Switching Module**






Solar Electric Propulsion Future Users








NSTAR
Ion
Propulsion



Pulsed Plasma Thruster

Electric Propulsion



Benefits of Solar Electric Propulsion

- Transportation
- •Formation Flying
- •Station Keeping/Orbit Maintenance









ESSP

Earth Science



6 6 AAIA 9MN


Thinking Spacecraft Future Users




FormationFlying










- Magnetospheric Constellation • Magnetospheric Multiscale,
- MIDEX proposals & Earth orbiters · Self monitoring for Europa Orbiter,






• Automatic sequencing & real time control

ASIA bas for interferometer instruments such as TPF



Space Science



Autonomous Optical Navigation

ISG



Deep Space 2: Mars Microprobes




- Designed to validate technologies for surface penetrators and network science
 - Passive entry, descent, and landing system
 - built to survive high-g impact (30,000 80,000 g's)
 - Miniaturized Electronics
 - power, microprocessor, telecom
 - Low-temperature batteries
 - Soil acquisition/Water detection experiment
- 2 probes successfully launched, January 3, 1999
 - Piggyback on Mars Surveyor 98 Lander cruise stage
- Landing in Martian South polar regions
 - December 3, 1999
 - Validation data expected after landing

Deep Space 2




Technologies for surface penetrators and network science




Single-Stage, Passive **Aeroshell Entry System**

Power Microelectronics






Probe Entry December 3, 1999



Launch: January 3, 1999



Miniaturized Tunable **Diode Laser Spectrometer** Subsurface Water Detection


Drill and Soil Acquisition **System**

Advanced Microcontroller




Flexible Interconnect

Lithium Ion **Batteries**



Landed Operations:

Primary Mission: 2 Sols (extended mission battery dependent)




Motor / Drill Assembly







🖍 Micro-Nano Spacecraft's Future Users 🏈





Multifunctional structure






Advanced Micro Controller

Small Deep Space Transponder





DS2

Low Power Electronics



Power switching module

Innovations that simplify design, fabrication, reduces mass & reduce resource requirements







- Potential for EOS Follow-On
- ESSP and Earth Probes



STP Magnetospheric Multiscale Mission





SMEX

- Mars Micro missions
- Discovery
- UNEX/SMEX/MIDEX



Space Science




Earth Observer 1



Validation of 9 Breakthrough Technologies



X-Band Phased Array Antenna: Boeing, GSFC & Lewis Research Center




Leisa Atmospheric Corrector: GSFC




Advanced
Land Imager:
MIT Lincoln Lab,
GSFC, Raytheon /
Santa Barbara
Remote Sensing,
& Sensor Systems
Group



Carbon-Carbon Radiator: Air Force Research Lab, Amoco Polymers, BF Goodrich, GSFC, Langley Research Center, Lockheed Martin, Naval Surface Warfare Center, & TRW



Spacecraft GSFC, Litton, SWALES




Hyperion: TRW, JPL, GSFC




Advanced Recorder Processor: GSFC, Litton, MIT Lincoln Lab, Swales, & TRW


Wideband



Lightweight Flexible Solar Array: GSFC, Lockheed Martin, & Phillips Lab



Pulsed
Plasma
Thruster:
GSFC,
Lewis Research
Center & PRIMEX




Enhanced Formation Flying GSFC, JPL




Hyper/Multi-Spectral Imagers & Spectrometers Future Users












- Planetary & solar plasma scientists have proposed to use copies of the PEPE instrument for future missions
- Validation of an all SiC optical instrument covering the FUV to SWIR will enable many new miniature, low-mass cameras and spectrometers








Space Science








-21-



ST3: Two Spacecraft Interferometer





- S/C separation from 50 m to 1 km
 - Observation baselines of 40 to 200 m
 - 8th magnitude stellar targets
- Parabola is locus of constant delay
- Combiner contains 20 m fixed delay line
- Combiner can operate as a 1 m monolithic interferometer
 - No collector, bypass fixed delay
- Both S/C maintain fixed orientation relative to each other during baseline changes



The ST5 Opportunity




- ST5 will validate technologies for
 - Structure and Evolution of the Universe (SEU)
 - Sun-Earth Connection (SEC)
- Current technology themes
 - Disturbance reduction system technologies (e.g. LISA)
 - Solar sail (e.g., sun polar orbiter, interstellar probe, etc)
 - Nanosatellite (e.g., magnetospheric constellation, etc.)
- Technology RFP issued, March 1999
 - Successful proposers incorporated into study teams
 - Each team prepares a report for mission selection review
- ST5 is a low-cost validation flight
 - Total implementation phase budget of <\$30M




ST5 Concepts






Nanosatellites

- Small (spinning) spacecraft, deployed and operated in constellations
- Each with multiple small Fields and Particles Instrument Technologies



Solar Sail

- Propulsion system to place spacecraft in desired locations unreachable (or un-maintainable) by alternative propulsion systems
- Small Fields and Particles Instrument
 Technologies (on bus, sail or sub-sat.)



Disturbance Reduction System

 Inertial and position sensing technologies for precision spacecraft positioning - for future gravitational and interferometric applications

NMP AIAA 9 99



ST5 Nanosat Constellation Trailblazer Mission



Miniature Spacecraft

 Systems Design Integration and Test Technologies

Candidate Spacecraft **Technologies**

- 5V bus 1/4V logic
- I i-lon batteries
- Miniature transponder
- Miniature Thrusters
- Multi-functional structure
- Variable emittance coatings


Constellation Control. Coordination, and Operations Architecture

- Ground system autonomy
- Relative ranging
- Intra-constellation communications

VALIDATION



INFUSION



Virtual Platforms For Science **Missions**

TECHNOLOGY





Technology Infusion from ST5 into Future Missions



SEC

Enable multipoint observations separating space and time measurement of dynamic phenomena in the Sun-Earth Environment

SSE

Enable multipoint observations separating space and time measurement of dynamic phenomena in magnetospheres and atmospheres of inner and outer planets

Earth Science

Enable multiplatform coordinated observations reductions in satellite size, mass and cost, virtual platforms with distributed instrumentation

Commercial and General Space Industry

NCT

Validation of technology enabling intelligent constellations of smart spacecraft

Technologies

- A Formation Flying & Communications Instrument
- 2 Li-ion batteries
- 3 Multifunctional structures
- 4 Variable emittance thermal suite
- 5 Ultra low power (1/4v) logic
- Miniaturized communications components
- 7 Cold gas micro thrusters
- 8 Software tools for autonomous ground operations

Mag Constellation

Simultaneous in-situ observations of the earth's magnetic tail ~100 nanospacecraft [1,2,3,4,5,6,7,8]

Inner Mag Constellation Radiation belt dynamics ~42 nanospace craft

[1,2,3,4,5,6,7,8]

Dayside Boundary Constellation Energy transfer into magnetosphere

~39 nanospacecraft [1,2,3,4,5,6,7,8]

Global ITM Constellation Upper atmosphere space weather 24 nanospace craft

[1,2,3,4,5,6,7,8]

Explorers

Supports lower cost future missions by reduction in space craft mass/power In-situ solar system increased constellation size wide space weather without increase in cost for missions like Grand Tour 12 nanospacecraft Cluster [1.2.3.4.5.6.7.8]

Other Potential Constellation Missions - Inner Heliospheric Constellation

- Heliospheric Radio Imager

[] Numbers in brackets correspond to the NCT Project technologies.

Solar Flotilla

[1,2,3,4,5,6,7,8]

Mars

Supports future missions establishing permanent presence, coordination of multiplatform obserations (aerobot, airplane, suface, micromissions, and orbit) [1,2,3,4,5,6,7]

Discovery

Supports future inner planet missions such as JANUS [1,2,3,4,5,6,7]

Pluto-Kui per Express

Demonstrates onboard autonomy and space craft miniaturization in concert with X2000 program objectives [2,3,4,5,6,7]

Other Outer Planetary Missions Demonstrates onboard autonomy and space craft miniaturization in concert with X2000 program objectives [2,3,45,6,7]

EX-2 Enhanced Science Follow-On

Time varying spectrally resolved radiative flux 12 or more clusters of 3 spacecraft each [1,2,3,4,5,6,7,8]

FOS-9

Global precipitation monitoring 8 nanosatellites in formation with core space craft 11,2,3,4,5,6,7,81

OP-3

Temperature and moisture sounding 8 or more space craft [1,2,3,4,5,6,7,8]

FSSP

Supports lower cost future missions by reduction in spacecraft mass/power opens up new avenues for research through increased temporal resolution and coordinated observations/virtual platforms [1,2,3,4,5,6,7,8]

Technologies would be generally available for use on future NASA science missions as well as for commercial and other space ventures. Small satellite buses and components could be made available through future RSDO procurements. [1,2,3,4,5,6,7,8]

NCTORC



The EO3 Opportunity



The NASA OES directed the NMP to:

- Focus the third Earth Observing mission, EO3, on innovative measurement concepts for remote sensing observations from orbits beyond conventional low-Earth orbit (LEO)
 - Geostationary orbits
 - Highly elliptical orbits
 - Mid-Earth and high-Earth orbits
 - L1 and L2
- Issued a NASA Research Announcement (NRA) to solicit the measurement concepts
 - Maximize participation by the Earth science and technology communities
 - identify revolutionary technologies, and/or measurement strategies
- 24 proposals were submitted and peer reviewed by the OES
- 4 concepts were selected for a 6-month study
 - downselected to one or two flight projects before 9/30/99



EO3 Measurement Concepts



Four Measurement Concepts were chosen for further study as candidates for EO-3 mission




Geostationary Imaging Fourier
Transform Spectrometer
Dr. William L. Smith, LaRC

Active Large Aperture Optical Systems for High Resolution Thermal Imaging from Geosynchronous Orbit Del Jenstrom, GSFC











Seasonal-to-Interannual Climate Variability and Prediction



Natural Hazards Research and Applications



Long-Term Climate: Natural Variability and Change Research



Atmospheric Ozone Research

NMP AIAA 9 99









Technology-focused NMP Process



- Alignment with Science theme need insured by
 - selecting technologies to address specific capability needs in science roadmaps
 - involvement of science community in identification, review and where appropriate, validation of technologies
- Phase A Concept Definition is technology focused
 - Open, peer-reviewed competition for technologies
 - For system validation, science AO in Phase B where appropriate
 - Provide capabilities needed to enable future high-priority science missions
 - Provide significant improvements in performance, or reductions in life-cycle cost
 - Require validation to mitigate risks to first science user
 - selected technologists participate in project concept definition team
- Independent review of project concepts prior to selection



Key Participants in NMP Process



Science Community

- Defines capability needs in theme roadmaps
- Participates with NMP to identify technology requirements, review technology candidates / concept studies, and participates via AO where appropriate

NASA HQ

- Defines priorities and constraints for Projects
- Authorizes project concept definition studies
- Leads peer reviews of technology solicitation
- Assigns project implementation center
- Conducts independent reviews
- Selects and approves project for implementation
- Where appropriate, selects science support via AO

NMP

- Leads identification of technology validation candidates
- Conducts project concept definition studies
- Selects technology providers through open competition
- Oversees project implementation










Benefits of NMP Processes




- Infusion into future science missions
 - Future projects using NMP validated technologies
 - Technology database for PI missions
 - New capabilities enable new opportunities
 - MIDEX/SMEX/Discovery/ESSP



- Industry
- Academia
- Government Laboratories























Technology Validation Information Dissemination Activities






Validation Reports



Validation Workshops



Support next set of Science AO's



User Community Contacts



Conferences



Summary



- NMP space flight validation provides a critical bridge from technology development to use in future science missions
 - Facilitates realization of benefits from NASA technology investment portfolio
- Program focus is on validating breakthrough technologies that enable new high priority science capabilities or provide needed capabilities at greatly reduced cost and risk for both OSS and OES missions
- Breakthrough technologies in each project are classified as project-defining or project-enhancing
 - Project-defining technologies replace proven technologies whose successful operation is required for project success
 - Project-enhancing technologies contribute to increased project capability, but are not needed for project success